

Quick Reference

Reciprocating Compressors

MT - MTM - MTZ - LTZ

R404A - R507A - R407C - R134a - R22
50 Hz



Maneurop[®]
RECIPROCATING COMPRESSORS


REFRIGERATION AND AIR CONDITIONING

Product range

		Nominal voltage						
		208-230/1/60	200-230/3/60	400/3/50 460/3/60	230/1/50	230/3/50	500/3/50 575/3/60	380/3/60
Model		Motor voltage code						
		1	3	4	5	6	7	9
MT / MTZ 18	1 cylinder	●	●	●	●	●		
MT / MTZ 22		●	●	●	●	●	●	●
MT / MTZ 28		●	●	●	●	●	●	
MT / MTZ 32		●	●	●	●	●	●	●
MT / MTZ 36		●	●	●	●	●	●	●
MT / MTZ 40		●	●	●		●		
MT / MTZ 44	2 cylinders	●	●	●		●	●	●
MT / MTZ 45			●	●				
MT / MTZ 50		●	●	●	●	●	●	●
MT / MTZ 51			●	●				
MT / MTZ 56		●	●	●		●	●	●
MT / MTZ 57			●	●				
MT / MTZ 64		●	●	●		●		●
MT / MTZ 65			●	●				
MT / MTZ 72			●	●		●		●
MT / MTZ 73			●	●				
MT / MTZ 80			●	●		●		●
MT / MTZ 81			●	●				
MT / MTZ 100	4 cylinders		●	●		●	●	●
MT / MTZ 125			●	●		●	●	●
MT / MTZ 144			●	●		●	●	●
MT / MTZ 160			●	●		●	●	●
MTM / MTZ 200 T	Tandem 2 x 4		●	●		●	●	●
MTM / MTZ 250 T			●	●		●	●	●
MTM / MTZ 288 T			●	●		●	●	●
MTM / MTZ 320 T			●	●		●	●	●
Model		1	3	4	5	6	7	9
LTZ 22	1 cyl.	●	●	●	●			●
LTZ 28		●	●	●	●			●
LTZ 40	2 cyl.			●				
LTZ 44		●	●	●		●		●
LTZ 50		●	●	●		●		●
LTZ 88	4 cyl.		●	●		●		●
LTZ 100			●	●		●		●
LTZ 176 T	2x 4		●	●		●		●
LTZ 200 T			●	●		●		●


1 cylinder

D : 225 mm
H : 333/358 mm
H1: 263 mm
H2: 68 mm




2 cylinders

D : 288 mm
H : 415 mm
H1: 266 mm
H2: 75 mm




4 cylinders

D : 352 mm
H : 519/540 mm
H1: 233 mm
H2: 125 mm



Tandem 2 x 4

H : 544/565 mm
D : 515 mm
W : 925 mm



Compressor type / oil _____
MT-MTM: Medium temperature Mineral oil
MTZ : Medium temperature POE lubricant
LTZ : Low temperature POE lubricant

Compressor size _____
Refer to above table Product range

Configuration _____
- : single
T: tandem

MTZ 100

-

4

V

I

Packaging*
I: Individual
M: Multiple

Version*
V: Oil equalisation + sight glass

Motor voltage code
Refer to above table Product range

* For single compressors

LTZ R404A / R507A

PERFORMANCE DATA

	To	-45		-40		-35		-30		-25		-20	
Model	Tc	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe
LTZ22	35	470	0.63	740	0.77	1 090	0.94	1 550	1.12	2 110	1.33	2 810	1.56
	45	320	0.63	520	0.78	790	0.95	1 150	1.14	1 600	1.36	2 160	1.61
	55	-	-	410	0.76	580	0.94	810	1.15	1 120	1.38	1 530	1.63
LTZ28	35	830	0.89	1 210	1.11	1 690	1.35	2 300	1.62	3 060	1.91	3 990	2.24
	45	490	0.90	810	1.13	1 220	1.38	1 720	1.67	2 350	1.99	3 130	2.34
	55	-	-	550	1.10	840	1.37	1 220	1.68	1 700	2.03	2 310	2.41
LTZ40	35	1 260	1.48	1 780	1.81	2 500	2.18	3 440	2.58	4 640	3.01	6 110	3.48
	45	920	1.50	1 320	1.84	1 890	2.22	2 640	2.63	3 620	3.07	4 850	3.55
	55	-	-	940	1.83	1 300	2.22	1 830	2.64	2 550	3.09	3 490	3.58
LTZ44	35	1 220	1.78	1 870	2.18	2 750	2.58	3 880	2.98	5 280	3.38	7 010	3.7
	45	830	1.70	1 350	2.12	2 040	2.56	2 950	3.01	4 110	3.46	5 550	3.91
	55	-	-	910	1.98	1 380	2.46	2 020	2.96	2 870	3.47	3 970	3.98
LTZ50	35	1 840	2.43	2 670	2.92	3 740	3.41	5 080	3.90	6 720	4.37	8 700	4.83
	45	1 290	2.29	1 970	2.83	2 860	3.38	3 990	3.95	5 380	4.52	7 070	5.08
	55	-	-	1 270	2.63	1 930	3.27	2 790	3.93	3 880	4.60	5 230	5.28
LTZ88	35	2 300	3.59	3 500	4.15	5 090	4.74	7 140	5.35	9 710	5.97	12 850	6.59
	45	1 560	3.43	2 570	4.10	3 920	4.83	5 670	5.60	7 900	6.40	10 650	7.24
	55	-	-	1 450	3.72	2 480	4.61	3 880	5.57	5 690	6.60	7 980	7.68
LTZ100	35	3 460	4.35	5 060	5.18	7 120	6.03	9 690	6.86	12 850	7.67	16 650	8.44
	45	2 260	3.97	3 640	4.95	5 410	5.98	7 650	7.03	10 420	8.10	13 780	9.17
	55	-	-	2 040	4.42	3 460	5.67	5 280	6.99	7 580	8.36	10 420	9.76
LTZ176	35	4 600	7.18	7 000	8.31	10 180	9.49	14 280	10.70	19 410	11.94	25 700	13.19
	45	3 120	6.86	5 130	8.21	7 830	9.65	11 340	11.19	15 790	12.80	21 300	14.48
	55	-	-	2 900	7.45	4 970	9.23	7 750	11.15	11 380	13.19	15 970	15.36
LTZ200	35	6 930	8.70	10 130	10.37	14 240	12.05	19 380	13.72	25 690	15.34	33 300	16.89
	45	4 520	7.93	7 270	9.90	10 830	11.95	15 310	14.06	20 840	16.20	27 570	18.33
	55	-	-	4 080	8.83	6 920	11.34	10 570	13.98	15 160	16.72	20 830	19.52

Legend:

To: Evaporating temperature in °C
Tc: Condensing temperature in °C

Qo: Cooling capacity in W
Pe: Power input in kW

Superheat = 11.1 K
Subcooling = 8.3 K

Voltage: 400 V / 3 / 50 Hz

Further reference

For more exhaustive information on Maneurop Reciprocating compressors, please refer to the following documents:



Danfoss Maneurop Online Datasheet Generator

www.danfoss.com/odsg

A new tool, providing user-friendly access to full technical data, performance data and outline drawings for each individual Maneurop reciprocating compressor MT, MTZ & LTZ.

Selection and Application Guidelines for Maneurop MT, MTZ and LTZ compressors

Literature: GA 035 - 06/01 GB (MT, MTZ) - GA 041 - 06/01 GB (LTZ)

With performance data, operating envelopes, outline drawings, electrical data, installation and application information for Maneurop MT, MTZ and LTZ compressors.

Selection and Application Guidelines for Maneurop MTM, MTZ & LTZ tandem assemblies

Literature: GA 056 - 06/02 GB

With performance data, operating envelopes, outline drawings, electrical data, installation and application information for Maneurop MTM, MTZ & LTZ tandem assemblies.

Parallel Application Guidelines for Maneurop MT, MTZ & LTZ compressors

Literature: GA 045 - 10/00 GB

With information about oil equalisation, suction and discharge lines, compressor control sequence, system components and installation and application information, for mounting in parallel Maneurop MT and MTZ compressors

All above documents are available for download from the Danfoss Maneurop internet website: www.danfoss-maneurop.com or local Danfoss websites.

MTZ R404A / R507A

PERFORMANCE DATA

	To	-30		-25		-20		-15		-10		-5		0		5		10	
Model	Tc	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe
MTZ18	35	500	0.69	820	0.83	1 260	0.95	1 820	1.06	2 530	1.15	3 410	1.22	4 470	1.29	5 730	1.34	7 210	1.39
	45	390	0.69	650	0.85	990	0.99	1 430	1.12	2 000	1.23	2 710	1.33	3 570	1.42	4 610	1.50	5 850	1.56
	55	-	-	500	0.85	760	1.02	1 100	1.18	1 540	1.32	2 090	1.45	2 770	1.57	3 610	1.66	4 620	1.75
MTZ22	35	1 030	0.89	1 510	1.03	2 100	1.16	2 850	1.27	3 750	1.37	4 820	1.45	6 090	1.52	7 570	1.57	9 270	1.60
	45	740	0.86	1 130	1.03	1 620	1.19	2 240	1.34	2 990	1.48	3 900	1.61	4 990	1.72	6 260	1.82	7 740	1.90
	55	-	-	790	1.00	1 170	1.20	1 650	1.39	2 260	1.58	3 000	1.75	3 900	1.92	4 970	2.07	6 220	2.20
MTZ28	35	1 330	1.09	1 980	1.30	2 780	1.49	3 730	1.66	4 870	1.82	6 200	1.95	7 740	2.06	9 520	2.14	11 600	2.20
	45	880	1.05	1 440	1.30	2 120	1.53	2 940	1.75	3 910	1.96	5 050	2.14	6 390	2.31	7 950	2.45	9 730	2.56
	55	-	-	950	1.26	1 520	1.55	2 190	1.82	3 000	2.08	3 960	2.32	5 090	2.54	6 420	2.75	7 960	2.93
MTZ32	35	1 700	1.24	2 420	1.46	3 290	1.65	4 350	1.83	5 600	2.00	7 080	2.14	8 790	2.26	10 800	2.37	13 000	2.44
	45	1 210	1.20	1 830	1.46	2 570	1.71	3 470	1.94	4 540	2.16	5 810	2.36	7 290	2.55	9 010	2.71	11 000	2.86
	55	-	-	1 270	1.41	1 880	1.71	2 610	2.01	3 490	2.29	4 540	2.56	5 790	2.81	7 250	3.04	8 940	3.26
MTZ36	35	2 040	1.50	2 860	1.73	3 860	1.95	5 060	2.16	6 470	2.34	8 130	2.51	10 000	2.64	12 300	2.74	14 800	2.81
	45	1 510	1.50	2 230	1.78	3 090	2.06	4 120	2.33	5 320	2.58	6 740	2.81	8 380	3.01	10 300	3.19	12 400	3.34
	55	-	-	1 590	1.78	2 320	2.12	3 170	2.45	4 170	2.76	5 340	3.07	6 710	3.35	8 290	3.61	10 100	3.85
MTZ40	35	2 440	1.70	3 360	1.98	4 470	2.24	5 770	2.48	7 310	2.70	9 100	2.90	11 200	3.07	13 500	3.23	16 200	3.36
	45	1 860	1.70	2 670	2.05	3 630	2.37	4 760	2.67	6 080	2.95	7 620	3.20	9 390	3.44	11 400	3.65	13 800	3.84
	55	-	-	1 960	2.08	2 770	2.48	3 710	2.86	4 810	3.22	6 080	3.55	7 560	3.86	9 280	4.14	11 200	4.40
MTZ44	35	2 330	1.93	3 200	2.20	4 310	2.46	5 710	2.70	7 440	2.92	9 550	3.11	12 100	3.25	15 100	3.35	18 600	3.38
	45	1 530	2.00	2 270	2.29	3 220	2.59	4 400	2.88	5 870	3.16	7 670	3.42	9 840	3.64	12 400	3.83	15 500	3.96
	55	-	-	1 660	2.27	2 360	2.62	3 270	2.98	4 410	3.33	5 830	3.68	7 580	4.00	9 700	4.29	12 200	4.54
MTZ45	35	2 210	1.65	3 160	1.92	4 330	2.15	5 740	2.37	7 440	2.56	9 450	2.73	11 800	2.88	14 600	3.01	17 700	3.12
	45	1 580	1.60	2 420	1.94	3 440	2.25	4 660	2.52	6 120	2.77	7 860	3.00	9 900	3.20	12 300	3.38	15 100	3.54
	55	-	-	1 660	1.89	2 520	2.28	3 540	2.64	4 760	2.97	6 220	3.26	7 940	3.53	9 980	3.77	12 300	3.99
MTZ50	35	2 900	2.20	3 920	2.50	5 220	2.80	6 850	3.08	8 850	3.33	11 300	3.54	14 200	3.70	17 600	3.79	21 600	3.81
	45	1 940	2.27	2 820	2.61	3 930	2.95	5 310	3.29	7 010	3.61	9 090	3.90	11 600	4.15	14 500	4.36	18 000	4.50
	55	-	-	2 070	2.59	2 900	2.99	3 960	3.41	5 290	3.81	6 930	4.21	8 930	4.57	11 300	4.91	14 200	5.19
MTZ51	35	2 670	1.95	3 780	2.24	5 160	2.51	6 850	2.75	8 880	2.97	11 300	3.16	14 100	3.32	17 500	3.45	21 300	3.54
	45	1 970	1.94	2 890	2.29	4 030	2.62	5 440	2.93	7 130	3.22	9 170	3.48	11 600	3.71	14 400	3.91	17 700	4.07
	55	-	-	2 100	2.28	3 010	2.69	4 140	3.07	5 510	3.44	7 170	3.78	9 150	4.09	11 500	4.37	14 200	4.62
MTZ56	35	2 890	2.30	4 170	2.67	5 730	3.03	7 620	3.37	9 870	3.68	12 500	3.94	15 600	4.14	19 200	4.27	23 300	4.32
	45	1 910	2.40	3 050	2.81	4 410	3.22	6 040	3.62	7 980	4.00	10 300	4.35	12 900	4.66	16 000	4.90	19 600	5.08
	55	-	-	2 170	2.84	3 260	3.32	4 550	3.81	6 100	4.28	7 940	4.74	10 100	5.17	12 600	5.55	15 600	5.87
MTZ57	35	2 740	2.06	3 940	2.39	5 420	2.70	7 250	2.99	9 450	3.25	12 100	3.49	15 200	3.69	18 800	3.86	23 000	3.98
	45	2 010	2.04	3 020	2.43	4 270	2.81	5 790	3.17	7 650	3.51	9 900	3.83	12 500	4.11	15 600	4.36	19 200	4.57
	55	-	-	2 190	2.42	3 220	2.88	4 460	3.33	5 990	3.76	7 830	4.17	10 000	4.55	12 700	4.90	15 700	5.21
MTZ64	35	3 530	2.63	4 980	3.03	6 740	3.44	8 860	3.82	11 400	4.17	14 400	4.48	17 800	4.73	21 800	4.92	26 300	5.02
	45	2 410	2.77	3 700	3.21	5 240	3.66	7 090	4.11	9 270	4.54	11 800	4.94	14 800	5.30	18 300	5.61	22 200	5.84
	55	-	-	2 670	3.25	3 920	3.77	5 400	4.30	7 160	4.83	9 240	5.35	11 700	5.83	14 500	6.28	17 800	6.68
MTZ65	35	3 440	2.40	4 820	2.82	6 540	3.21	8 640	3.57	11 200	3.90	14 200	4.20	17 800	4.45	22 000	4.67	26 800	4.84
	45	2 510	2.32	3 690	2.81	5 150	3.32	6 930	3.78	9 100	4.20	11 700	4.60	14 800	4.96	18 400	5.28	22 700	5.55
	55	-	-	2 610	2.74	3 800	3.34	5 260	3.90	7 050	4.44	9 210	4.95	11 800	5.42	14 900	5.85	18 600	6.25
MTZ72	35	4 250	2.96	5 830	3.39	7 770	3.83	10 100	4.26	12 900	4.66	16 100	5.02	20 000	5.34	24 400	5.59	29 400	5.78
	45	2 890	3.05	4 300	3.52	6 000	4.01	8 020	4.50	10 400	4.99	13 300	5.45	16 600	5.88	20 400	6.26	24 800	6.59
	55	-	-	3 110	3.58	4 480	4.14	6 110	4.73	8 060	5.31	10 400	5.90	13 100	6.46	16 300	6.99	19 900	7.48
MTZ73	35	3 940	2.77	5 490	3.21	7 400	3.62	9 740	4.01	12 600	4.37	15 900	4.70	19 800	4.98	24 300	5.23	29 500	5.43
	45	2 960	2.74	4 240	3.25	5 840	3.75	7 790	4.23	10 200	4.69	13 000	5.11	16 400	5.51	20 300	5.87	24 800	6.19
	55	-	-	3 160	3.27	4 430	3.86	6 010	4.43	7 960	4.98	10 300	5.51	13 100	6.01	16 500	6.49	20 300	6.94
MTZ80	35	4 790	3.48	6 670	3.98	8 920	4.48	11 600	4.97	14 700	5.44	18 400	5.87	22 600	6.25	27 400	6.57	32 800	6.81
	45	3 210	3.63	4 910	4.17	6 900	4.72	9 250	5.29	12 000	5.84	15 200	6.38	18 800	6.88	23 000	7.34	27 800	7.73
	55	-	-	3 470	4.25	5 110	4.89	7 030	5.54	9 280	6.21	11 900	6.87	14 900	7.51	18 400	8.13	22 400	8.70
MTZ81	35	4 830	3.18	6 620	3.75	8 800	4.26	11 400	4.73	14 500	5.17	18 100	5.57	22 300	5.94	27 200	6.29	32 700	6.62
	45	3 680	3.15	5 230	3.85	7 080	4.48	9 300	5.07	11 900	5.61	15 000	6.11	18 700	6.57	22 900	7.01	27 700	7.41
	55	-	-	3 910	3.85	5 460	4.63	7 300	5.35	9 480	6.02	12 100	6.64	15 100	7.21	18 700	7.75	22 800	8.25
MTZ100	35	5 130	4.06	7 290	4.68	9 950	5.22	13 200	5.70	17 000	6.12	21 500	6.46	26 800	6.74	32 900	6.94	40 000	7.08
	45	3 760	4.01	5 690	4.80	8 000	5.53	10 700	6.18	14 000	6.76	17 800	7.26	22 300	7.70	27 500	8.06	33 500	8.34
	55	-	-	3 930	4.65	5 920	5.58	8 230	6.44	10 900	7.22	14 100	7.92	17 800	8.54	22 100	9.08	27 100	9.54
MTZ125	35	7 120	5.12	9 820	5.85	13 200	6.53	17 200	7.17	22 100	7.75	27 900	8.27	34 700	8.71	42 500	9.09	51 400	9.37
	45	5 400	5.16	7 640	6.02	10 400	6.86	13 800	7.67	17 900	8.44	22 800	9.16	28 600	9.83	35 300	10.44	43 100	10.98
	55	-	-	5 740	6.12	7 950	7.11	10 700	8.09	14 000	9.04	18 100	9.96	22 900	10.85	28 600	11.69	35 200	12.48
MTZ144	35	8 680	6.03	11 800	6.84	15 600	7.61	20											

MTZ R407C

PERFORMANCE DATA

	To	-15		-10		-5		0		5		10		15	
Model	Tc	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe
MTZ18	35	1 560	0.79	2 210	0.88	3 000	0.95	3 920	1.00	5 010	1.05	6 270	1.08	7 720	1.11
	45	1 180	0.82	1 750	0.94	2 430	1.04	3 240	1.13	4 180	1.20	5 270	1.25	6 530	1.30
	55	-	-	-	-	1 930	1.11	2 620	1.24	3 420	1.34	4 350	1.44	5 430	1.52
MTZ22	35	2 250	1.04	3 060	1.16	4 010	1.25	5 130	1.32	6 430	1.37	7 940	1.41	9 660	1.43
	45	1 770	1.07	2 490	1.24	3 330	1.39	4 320	1.50	5 460	1.60	6 790	1.67	8 310	1.73
	55	-	-	-	-	2 660	1.48	3 510	1.66	4 500	1.81	5 640	1.94	6 960	2.05
MTZ28	35	2 740	1.26	3 790	1.42	5 030	1.56	6 480	1.66	8 180	1.73	10 100	1.78	12 400	1.79
	45	2 160	1.30	3 110	1.52	4 220	1.72	5 520	1.89	7 030	2.03	8 770	2.13	10 800	2.21
	55	-	-	-	-	3 390	1.83	4 520	2.08	5 840	2.29	7 360	2.48	9 110	2.63
MTZ32	35	3 380	1.45	4 530	1.61	5 870	1.75	7 450	1.86	9 280	1.94	11 400	2.01	13 800	2.07
	45	2 710	1.50	3 740	1.75	4 940	1.95	6 330	2.12	7 940	2.27	9 800	2.38	11 900	2.48
	55	-	-	-	-	4 000	2.10	5 210	2.36	6 600	2.59	8 200	2.78	10 000	2.94
MTZ36	35	3 980	1.72	5 230	1.93	6 690	2.11	8 400	2.25	10 400	2.35	12 600	2.43	15 200	2.47
	45	3 270	1.81	4 400	2.10	5 710	2.36	7 200	2.57	8 920	2.73	10 900	2.86	13 100	2.95
	55	-	-	-	-	4 700	2.56	6 020	2.87	7 510	3.13	9 190	3.35	11 100	3.51
MTZ40	35	4 620	2.04	6 010	2.25	7 640	2.44	9 540	2.61	11 700	2.75	14 300	2.85	17 200	2.93
	45	3 890	2.18	5 150	2.48	6 610	2.74	8 290	2.98	10 200	3.18	12 400	3.35	15 000	3.48
	55	-	-	-	-	5 530	3.00	7 020	3.33	8 710	3.62	10 600	3.88	12 800	4.10
MTZ44	35	4 340	2.06	5 880	2.27	7 740	2.45	9 940	2.59	12 500	2.69	15 500	2.73	19 000	2.71
	45	3 390	2.21	4 770	2.47	6 420	2.72	8 390	2.94	10 700	3.14	13 400	3.28	16 500	3.38
	55	-	-	-	-	5 080	2.91	6 760	3.23	8 750	3.53	11 100	3.81	13 800	4.04
MTZ45	35	4 500	1.92	6 090	2.13	8 040	2.31	10 400	2.44	13 100	2.56	16 300	2.65	20 100	2.73
	45	3 570	1.97	4 920	2.28	6 590	2.54	8 610	2.76	11 000	2.94	13 800	3.10	17 100	3.24
	55	-	-	-	-	5 250	2.69	6 940	3.01	8 990	3.29	11 400	3.53	14 300	3.75
MTZ50	35	4 940	2.28	6 690	2.54	8 800	2.78	11 300	2.98	14 300	3.13	17 700	3.23	21 600	3.26
	45	3 880	2.42	5 450	2.74	7 330	3.04	9 570	3.32	12 200	3.57	15 300	3.78	18 800	3.94
	55	-	-	-	-	5 840	3.24	7 750	3.63	10 000	3.99	12 700	4.33	15 700	4.62
MTZ51	35	5 230	2.24	6 990	2.48	9 120	2.68	11 600	2.85	14 600	2.99	18 100	3.10	22 100	3.19
	45	4 200	2.34	5 780	2.70	7 650	3.00	9 860	3.24	12 500	3.45	15 500	3.61	19 000	3.75
	55	-	-	-	-	6 180	3.22	8 090	3.60	10 300	3.91	13 000	4.18	16 000	4.39
MTZ56	35	5 650	2.54	7 670	2.87	10 100	3.17	13 000	3.44	16 300	3.66	20 200	3.83	24 700	3.93
	45	4 460	2.67	6 260	3.05	8 420	3.43	11 000	3.78	14 000	4.10	17 500	4.38	21 500	4.60
	55	-	-	-	-	6 760	3.65	8 940	4.10	11 500	4.54	14 500	4.94	18 000	5.31
MTZ57	35	5 640	2.40	7 620	2.68	10 000	2.91	12 900	3.11	16 200	3.28	20 100	3.43	24 600	3.56
	45	4 540	2.50	6 310	2.90	8 440	3.24	11 000	3.53	13 900	3.77	17 400	3.98	21 400	4.16
	55	-	-	-	-	6 840	3.47	9 040	3.89	11 600	4.26	14 700	4.56	18 200	4.83
MTZ64	35	6 340	2.80	8 620	3.19	11 300	3.56	14 600	3.89	18 400	4.18	22 700	4.41	27 800	4.58
	45	5 020	2.91	7 060	3.36	9 490	3.80	12 400	4.22	15 700	4.61	19 600	4.96	24 100	5.25
	55	-	-	-	-	7 660	4.04	10 100	4.57	13 000	5.07	16 400	5.55	20 300	5.99
MTZ65	35	6 800	2.78	9 000	3.08	11 700	3.34	14 800	3.56	18 500	3.76	22 900	3.94	27 900	4.12
	45	5 550	2.91	7 480	3.35	9 820	3.73	12 600	4.05	15 900	4.32	19 800	4.57	24 300	4.79
	55	-	-	-	-	8 030	4.02	10 400	4.48	13 300	4.89	16 700	5.25	20 700	5.56
MTZ72	35	7 330	3.16	9 850	3.61	12 800	4.03	16 400	4.41	20 500	4.74	25 200	5.01	30 600	5.21
	45	5 850	3.30	8 110	3.81	10 800	4.32	13 900	4.80	17 600	5.25	21 900	5.64	26 700	5.98
	55	-	-	-	-	8 770	4.58	11 500	5.18	14 600	5.76	18 300	6.31	22 500	6.81
MTZ73	35	7 680	3.31	10 200	3.66	13 200	3.96	16 800	4.22	21 000	4.43	25 900	4.58	31 500	4.69
	45	6 300	3.49	8 540	3.96	11 200	4.39	14 400	4.77	18 200	5.11	22 600	5.39	27 700	5.63
	55	-	-	-	-	9 220	4.70	12 000	5.23	15 300	5.71	19 200	6.15	23 700	6.53
MTZ80	35	8 510	3.60	11 300	4.11	14 600	4.60	18 500	5.04	23 000	5.42	28 200	5.73	34 100	5.96
	45	6 850	3.76	9 380	4.35	12 400	4.93	15 800	5.48	19 900	6.00	24 500	6.46	29 800	6.85
	55	-	-	-	-	10 100	5.23	13 100	5.92	16 600	6.59	20 600	7.22	25 300	7.80
MTZ81	35	8 770	3.84	11 600	4.23	15 000	4.57	18 900	4.84	23 500	5.06	28 900	5.24	35 000	5.38
	45	7 290	4.08	9 860	4.64	12 900	5.12	16 400	5.54	20 600	5.89	25 300	6.19	30 800	6.45
	55	-	-	-	-	10 700	5.55	13 800	6.14	17 400	6.66	21 600	7.12	26 500	7.53
MTZ100	35	9 910	4.58	13 500	5.04	17 800	5.41	22 800	5.72	28 800	5.97	35 700	6.18	43 600	6.37
	45	7 870	4.81	11 000	5.47	14 800	6.04	19 300	6.52	24 500	6.92	30 700	7.26	37 800	7.56
	55	-	-	-	-	11 900	6.49	15 700	7.19	20 300	7.81	25 600	8.34	31 800	8.81
MTZ125	35	14 100	5.76	18 400	6.33	23 600	6.81	29 700	7.21	36 800	7.55	45 000	7.83	54 400	8.08
	45	11 500	6.13	15 500	6.97	20 100	7.69	25 600	8.31	31 900	8.84	39 300	9.30	47 700	9.69
	55	-	-	-	-	16 500	8.34	21 300	9.26	26 900	10.08	33 300	10.79	40 700	11.42
MTZ144	35	15 400	6.61	20 200	7.26	26 000	7.82	32 800	8.29	40 700	8.66	49 800	8.91	60 300	9.05
	45	12 700	7.07	17 000	7.92	22 200	8.70	28 200	9.42	35 300	10.04	43 500	10.58	52 900	11.01
	55	-	-	-	-	18 300	9.46	23 600	10.41	29 800	11.30	37 000	12.11	45 300	12.84
MTZ160	35	18 300	7.64	23 700	8.36	30 100	9.01	37 600	9.63	46 400	10.23	56 600	10.82	68 300	11.45
	45	15 400	8.21	20 200	9.20	25 800	10.09	32 500	10.91	40 300	11.68	49 400	12.42	59 900	13.16
	55	-	-	-	-	21 600	10.96	27 400	12.08	34 200	13.11	42 200	14.09	51 300	15.03
MTZ200	35	19 800	9.16	27 000	10.07	35 500	10.82	45 600	11.44	57 500	11.95	71 300	12.37	87 200	12.73
	45	15 700	9.61	22 000	10.94	29 600	12.08	38 600	13.03	49 100	13.84	61 400	14.53	75 500	15.11
	55	-	-	-	-	23 700	12.97	31 400	14.39	40 500	15.62	51 200	16.69	63 600	17.62
MTZ250	35	28 100	11.52	36 900	12.66	47 200	13.61	59 400	14.42	73 600	15.10	90 100	15.67	108 900	16.16
	45	23 000	12.26	30 900	13.93	40 200	15.37	51 100	16.61	63 800	17.68	78 500	18.59	95 400	19.38
	55	-	-	-	-	33 000	16.67	42 600	18.52	53 700	20.15	66 600	21.58	81 500	22.84
MTZ288	35	30 800	13.22	40 500	14.51	52 000	15.64	65 600	16.58	81 400	17.31	99 600	17.82	120 600	18.09
	45	25 300	14.13	34 000	15.83	44 400	17.41	56 500	18.83	70 600	20.09	87 000	21.16	105 900	22.02
	55	-	-	-	-	36 600	18.91	47 200	20.82	59 600	22.60	74 000	24.22	90 700	25.68
MTZ320	35	36 700	15.28	47 400	16.71	60 100	18.03	75 100	19.26	92 700	20.45	113 100	21.65	136 600	22.90
	45	30 700	16.43	40 300	18.39										

MT - MTM R22**PERFORMANCE DATA**

	To	-25		-20		-15		-10		-5		0		5		10		15	
Model	Tc	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe
MT18	35	750	0.61	1 120	0.72	1 590	0.82	2 180	0.92	2 900	1.00	3 780	1.07	4 820	1.11	6 050	1.13	7 490	1.12
	45	570	0.64	890	0.76	1 300	0.88	1 810	1.00	2 450	1.10	3 220	1.19	4 150	1.26	5 260	1.31	6 550	1.33
	55	-	-	-	-	1 030	0.93	1 450	1.07	1 970	1.20	2 630	1.32	3 430	1.42	4 390	1.50	5 530	1.56
MT22	35	1 120	0.74	1 710	0.90	2 410	1.05	3 230	1.19	4 190	1.31	5 300	1.40	6 570	1.46	8 010	1.49	9 650	1.47
	45	740	0.77	1 280	0.95	1 920	1.12	2 670	1.29	3 540	1.44	4 560	1.56	5 720	1.66	7 040	1.73	8 550	1.76
	55	-	-	-	-	1 430	1.15	2 090	1.35	2 860	1.53	3 760	1.70	4 800	1.85	5 990	1.96	7 340	2.04
MT28	35	1 930	1.21	2 710	1.38	3 610	1.55	4 640	1.69	5 810	1.80	7 140	1.87	8 640	1.90	10 300	1.88	12 200	1.79
	45	1 460	1.22	2 190	1.43	3 030	1.63	4 000	1.81	5 090	1.98	6 330	2.11	7 720	2.20	9 280	2.25	11 000	2.24
	55	-	-	-	-	2 420	1.67	3 300	1.91	4 300	2.14	5 430	2.34	6 700	2.51	8 130	2.64	9 730	2.72
MT32	35	2 080	1.41	2 900	1.61	3 860	1.80	4 990	1.97	6 310	2.11	7 820	2.22	9 560	2.29	11 500	2.32	13 800	2.29
	45	1 550	1.46	2 310	1.68	3 190	1.90	4 230	2.11	5 440	2.31	6 830	2.47	8 420	2.60	10 200	2.69	12 300	2.74
	55	-	-	-	-	2 610	1.99	3 530	2.25	4 610	2.50	5 860	2.73	7 300	2.93	8 940	3.09	10 800	3.22
MT36	35	2 600	1.58	3 580	1.78	4 710	1.97	5 990	2.16	7 430	2.32	9 060	2.46	10 900	2.58	12 900	2.65	15 100	2.69
	45	1 960	1.68	2 890	1.90	3 950	2.13	5 150	2.35	6 500	2.56	8 020	2.76	9 710	2.93	11 600	3.07	13 700	3.17
	55	-	-	-	-	3 160	2.28	4 260	2.55	5 500	2.81	6 890	3.06	8 450	3.30	10 200	3.51	12 100	3.70
MT40	35	2 810	1.64	3 880	1.91	5 090	2.17	6 470	2.40	8 030	2.59	9 780	2.74	11 700	2.82	13 900	2.83	16 300	2.76
	45	2 050	1.77	3 080	2.08	4 260	2.39	5 590	2.67	7 090	2.93	8 780	3.15	10 700	3.32	12 800	3.42	15 100	3.45
	55	-	-	-	-	3 410	2.53	4 690	2.89	6 130	3.22	7 740	3.53	9 550	3.79	11 600	4.00	13 800	4.14
MT44	35	2 850	1.66	3 850	1.94	5 080	2.20	6 580	2.43	8 390	2.62	10 500	2.75	13 100	2.82	16 000	2.82	19 500	2.72
	45	2 350	1.82	3 240	2.13	4 340	2.44	5 680	2.72	7 310	2.98	9 250	3.19	11 600	3.34	14 200	3.43	17 400	3.44
	55	-	-	-	-	3 630	2.58	4 780	2.94	6 190	3.27	7 890	3.57	9 920	3.82	12 300	4.02	15 100	4.14
MT45	35	2 670	1.57	3 920	1.88	5 310	2.15	6 890	2.37	8 700	2.53	10 800	2.62	13 100	2.62	15 800	2.52	18 900	2.32
	45	1 680	1.55	2 880	1.92	4 200	2.26	5 690	2.57	7 370	2.82	9 280	3.00	11 500	3.12	14 000	3.14	16 800	3.06
	55	-	-	-	-	3 130	2.29	4 480	2.68	6 010	3.04	7 740	3.34	9 720	3.57	12 000	3.73	14 600	3.79
MT50	35	3 280	1.79	4 340	2.08	5 670	2.37	7 310	2.65	9 290	2.91	11 700	3.14	14 500	3.34	17 800	3.48	21 600	3.57
	45	2 560	1.99	3 530	2.31	4 740	2.63	6 230	2.95	8 050	3.25	10 200	3.54	12 800	3.79	15 900	4.00	19 400	4.16
	55	-	-	-	-	3 810	2.83	5 120	3.20	6 740	3.55	8 700	3.90	11 000	4.21	13 800	4.50	17 100	4.74
MT51	35	3 080	1.80	4 460	2.11	6 010	2.38	7 790	2.61	9 820	2.78	12 200	2.88	14 900	2.92	17 900	2.87	21 500	2.73
	45	2 250	1.78	3 520	2.16	4 950	2.52	6 570	2.83	8 430	3.10	10 600	3.30	13 000	3.45	15 900	3.51	19 100	3.49
	55	-	-	-	-	3 880	2.60	5 320	3.01	6 970	3.38	8 880	3.69	11 100	3.95	13 600	4.14	16 600	4.25
MT56	35	3 430	2.08	4 860	2.45	6 540	2.79	8 500	3.10	10 800	3.34	13 300	3.52	16 300	3.61	19 600	3.59	23 300	3.46
	45	2 660	2.21	3 990	2.64	5 530	3.05	7 320	3.44	9 380	3.78	11 700	4.07	14 400	4.28	17 500	4.40	20 900	4.42
	55	-	-	-	-	4 530	3.24	6 120	3.73	7 950	4.19	10 100	4.60	12 500	4.95	15 200	5.23	18 300	5.41
MT57	35	4 010	2.32	5 310	2.46	6 890	2.62	8 780	2.79	11 000	2.95	13 600	3.08	16 600	3.17	20 000	3.19	23 800	3.15
	45	3 450	2.54	4 570	2.72	5 950	2.93	7 620	3.16	9 590	3.39	11 900	3.61	14 600	3.80	17 600	3.95	21 100	4.03
	55	-	-	-	-	5 030	3.17	6 420	3.48	8 110	3.81	10 100	4.14	12 400	4.45	15 100	4.73	18 200	4.96
MT64	35	3 910	2.34	5 470	2.74	7 330	3.13	9 530	3.48	12 100	3.79	15 100	4.04	18 600	4.21	22 600	4.30	27 100	4.28
	45	3 090	2.57	4 500	3.02	6 190	3.46	8 190	3.89	10 500	4.28	13 300	4.62	16 500	4.91	20 100	5.11	24 300	5.22
	55	-	-	-	-	5 240	3.69	6 990	4.20	9 050	4.69	11 500	5.15	14 300	5.55	17 600	5.88	21 300	6.14
MT65	35	4 720	2.55	6 190	2.76	7 980	2.99	10 100	3.22	12 700	3.43	15 600	3.61	19 100	3.74	23 000	3.82	27 600	3.82
	45	3 840	2.82	5 140	3.08	6 730	3.36	8 630	3.66	10 900	3.95	13 600	4.22	16 700	4.46	20 300	4.65	24 400	4.77
	55	-	-	-	-	5 650	3.63	7 270	4.00	9 220	4.39	11 500	4.77	14 300	5.12	17 400	5.44	21 100	5.71
MT72	35	4 310	2.77	6 080	3.14	8 150	3.51	10 600	3.87	13 400	4.22	16 600	4.54	20 200	4.82	24 400	5.06	29 100	5.25
	45	3 470	3.07	5 070	3.47	6 950	3.88	9 130	4.29	11 700	4.69	14 600	5.08	17 900	5.44	21 600	5.76	25 900	6.03
	55	-	-	-	-	6 010	4.33	7 910	4.80	10 100	5.27	12 600	5.73	15 600	6.17	18 900	6.59	22 700	6.96
MT73	35	5 410	2.91	7 050	3.25	9 070	3.58	11 500	3.87	14 400	4.14	17 800	4.35	21 600	4.51	26 100	4.61	31 100	4.63
	45	4 260	2.91	5 720	3.33	7 530	3.75	9 710	4.15	12 300	4.51	15 400	4.84	18 900	5.13	22 900	5.35	27 500	5.51
	55	-	-	-	-	6 250	4.00	8 140	4.51	10 400	4.99	13 100	5.45	16 200	5.86	19 800	6.23	23 900	6.54
MT80	35	4 920	3.10	6 930	3.52	9 290	3.94	12 000	4.35	15 200	4.75	18 900	5.12	23 100	5.45	27 800	5.73	33 100	5.95
	45	3 950	3.46	5 780	3.91	7 930	4.38	10 400	4.84	13 300	5.30	16 600	5.74	20 400	6.14	24 700	6.51	29 500	6.83
	55	-	-	-	-	6 810	4.90	8 990	5.43	11 500	5.96	14 400	6.48	17 800	6.97	21 600	7.44	25 900	7.86
MT81	35	5 990	3.12	7 830	3.63	10 100	4.10	12 900	4.51	16 200	4.84	20 100	5.11	24 500	5.28	29 600	5.36	35 400	5.32
	45	4 690	3.03	6 340	3.66	8 380	4.24	10 900	4.77	13 900	5.25	17 400	5.65	21 400	5.98	26 100	6.21	31 400	6.35
	55	-	-	-	-	6 910	4.46	9 070	5.14	11 700	5.76	14 700	6.32	18 300	6.80	22 500	7.21	27 300	7.52
MT100	35	6 280	3.97	8 580	4.49	11 400	4.98	14 700	5.41	18 600	5.75	23 200	5.99	28 600	6.10	34 700	6.05	41 800	5.83
	45	4 570	4.06	6 650	4.66	9 150	5.25	12 100	5.79	15 700	6.27	19 900	6.66	24 700	6.94	30 400	7.09	36 800	7.08
	55	-	-	-	-	7 400	5.49	10 000	6.17	13 100	6.82	16 800	7.39	21 100	7.87	26 100	8.24	31 900	8.47
MT125	35	8 380	5.08	11 300	5.69	14 900	6.28	19 200	6.82	24 200	7.31	30 000	7.70	36 800	8.00	44 600	8.17	53 500	8.19
	45	6 690	5.48	9 360	6.17	12 500	6.87	16 400	7.55	20 800	8.18	26 100	8.75	32 200	9.24	39 300	9.63	47 400	9.88
	55	-	-	-	-	10 400	7.32	13 700	8.15	17 500	8.97	22 100	9.74	27 500	10.45	33 700	11.08	40 900	11.60
MT144	35	9 660	5.73	13 000	6.41	17 000	7.06	21 800	7.66	27 500	8.20	34 200	8.65	42 000	8.97	51 000	9.16	61 300	9.19
	45	7 700	6.16	10 700	6.94	14 200	7.71	18 500	8.47	23 600	9.17	29 600	9.81	36 600	10.36	44 700	10.80	54	

MTZ R134a
PERFORMANCE DATA

	To	-15		-10		-5		0		5		10		15		20	
Model	Tc	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe	Qo	Pe
MTZ18	35	1 020	0.58	1 450	0.64	1 980	0.70	2 610	0.74	3 350	0.76	4 210	0.77	5 200	0.76	6 340	0.73
	45	760	0.61	1 140	0.69	1 600	0.76	2 150	0.82	2 800	0.87	3 550	0.91	4 430	0.93	5 430	0.93
	55	580	0.61	890	0.71	1 270	0.80	1 720	0.88	2 250	0.96	2 880	1.03	3 620	1.09	4 480	1.12
MTZ22	35	1 320	0.68	1 860	0.76	2 520	0.84	3 310	0.90	4 260	0.94	5 370	0.96	6 660	0.97	8 160	0.94
	45	1 030	0.72	1 500	0.81	2 080	0.91	2 770	0.99	3 610	1.06	4 600	1.11	5 750	1.15	7 090	1.16
	55	810	0.72	1 190	0.84	1 670	0.95	2 250	1.06	2 960	1.16	3 800	1.25	4 800	1.32	5 960	1.37
MTZ28	35	1 650	0.85	2 260	0.94	3 030	1.03	4 000	1.11	5 170	1.19	6 580	1.25	8 260	1.29	10 200	1.32
	45	1 350	0.91	1 880	1.02	2 560	1.13	3 410	1.23	4 450	1.34	5 710	1.43	7 210	1.51	8 980	1.58
	55	1 140	0.95	1 570	1.08	2 120	1.22	2 830	1.35	3 720	1.48	4 800	1.61	6 110	1.73	7 660	1.85
MTZ32	35	1 940	1.03	2 680	1.17	3 590	1.30	4 710	1.41	6 070	1.49	7 680	1.55	9 580	1.57	11 800	1.56
	45	1 560	1.09	2 210	1.25	3 020	1.40	4 020	1.54	5 230	1.66	6 690	1.76	8 400	1.83	10 400	1.86
	55	1 260	1.11	1 790	1.29	2 470	1.48	3 320	1.65	4 370	1.81	5 630	1.96	7 140	2.08	8 930	2.16
MTZ36	35	2 650	1.20	3 480	1.33	4 490	1.45	5 690	1.56	7 100	1.64	8 750	1.70	10 700	1.73	12 800	1.72
	45	2 250	1.29	3 000	1.45	3 910	1.60	4 990	1.74	6 280	1.86	7 780	1.97	9 530	2.05	11 500	2.10
	55	1 860	1.35	2 510	1.54	3 300	1.72	4 250	1.91	5 380	2.08	6 720	2.23	8 270	2.37	10 100	2.48
MTZ40	35	3 070	1.33	3 910	1.44	4 890	1.56	6 030	1.65	7 350	1.73	8 860	1.79	10 600	1.82	12 500	1.83
	45	2 680	1.47	3 460	1.61	4 370	1.75	5 420	1.89	6 640	2.01	8 020	2.12	9 600	2.21	11 400	2.27
	55	2 260	1.56	2 950	1.74	3 770	1.92	4 720	2.10	5 810	2.28	7 060	2.44	8 490	2.59	10 100	2.72
MTZ44	35	2 880	1.55	3 910	1.70	5 190	1.83	6 760	1.94	8 640	2.02	10 900	2.07	13 500	2.08	16 600	2.04
	45	2 270	1.62	3 170	1.80	4 290	1.96	5 670	2.12	7 340	2.25	9 340	2.35	11 700	2.42	14 400	2.45
	55	1 820	1.64	2 560	1.85	3 490	2.07	4 650	2.27	6 070	2.46	7 780	2.63	9 830	2.77	12 200	2.87
MTZ50	35	3 350	1.72	4 550	1.90	6 040	2.06	7 850	2.20	10 000	2.30	12 600	2.37	15 600	2.39	19 100	2.36
	45	2 630	1.79	3 700	2.01	5 020	2.21	6 630	2.40	8 570	2.56	10 900	2.69	13 600	2.78	16 700	2.83
	55	2 100	1.81	2 990	2.07	4 100	2.32	5 470	2.57	7 140	2.80	9 140	3.01	11 500	3.18	14 300	3.32
MTZ56	35	3 720	1.87	5 060	2.08	6 720	2.27	8 720	2.44	11 100	2.57	13 900	2.65	17 200	2.69	21 000	2.66
	45	2 930	1.95	4 140	2.20	5 620	2.44	7 420	2.66	9 580	2.85	12 100	3.01	15 100	3.13	18 600	3.20
	55	2 300	1.96	3 330	2.26	4 600	2.56	6 150	2.85	8 030	3.12	10 300	3.37	12 900	3.58	16 000	3.75
MTZ64	35	4 200	2.06	5 740	2.31	7 610	2.53	9 870	2.73	12 600	2.88	15 700	2.99	19 400	3.04	23 700	3.02
	45	3 320	2.14	4 700	2.43	6 400	2.71	8 440	2.97	10 900	3.20	13 800	3.40	17 100	3.54	21 000	3.63
	55	2 580	2.15	3 780	2.50	5 240	2.84	7 020	3.18	9 170	3.50	11 700	3.80	14 700	4.05	18 200	4.26
MTZ72	35	5 040	2.27	6 780	2.53	8 880	2.77	11 400	2.98	14 300	3.15	17 800	3.27	21 800	3.33	26 400	3.32
	45	4 000	2.34	5 590	2.67	7 510	2.99	9 800	3.30	12 500	3.58	15 700	3.83	19 400	4.03	23 600	4.18
	55	2 990	2.17	4 390	2.59	6 080	3.01	8 110	3.44	10 500	3.85	13 400	4.24	16 700	4.61	20 500	4.93
MTZ80	35	5 940	2.64	7 880	2.94	10 200	3.23	13 000	3.50	16 300	3.75	20 100	3.96	24 500	4.12	29 500	4.23
	45	4 860	2.76	6 630	3.11	8 750	3.46	11 300	3.80	14 300	4.13	17 700	4.42	21 800	4.69	26 400	4.91
	55	3 830	2.80	5 380	3.22	7 250	3.64	9 480	4.06	12 100	4.48	15 200	4.88	18 900	5.26	23 000	5.60
MTZ100	35	6 360	3.05	8 660	3.38	11 500	3.68	14 900	3.91	18 900	4.08	23 700	4.16	29 300	4.14	35 700	4.01
	45	5 100	3.25	7 160	3.65	9 670	4.02	12 700	4.35	16 400	4.63	20 700	4.84	25 700	4.96	31 600	4.98
	55	4 150	3.33	5 880	3.82	8 020	4.29	10 600	4.74	13 800	5.15	17 500	5.50	22 000	5.79	27 200	5.98
MTZ125	35	8 160	3.49	11 000	3.95	14 400	4.37	18 500	4.71	23 400	4.97	29 100	5.12	35 700	5.15	43 200	5.02
	45	6 430	3.63	9 000	4.17	12 100	4.69	15 800	5.16	20 200	5.57	25 400	5.89	31 400	6.09	38 300	6.18
	55	4 940	3.58	7 150	4.24	9 840	4.89	13 100	5.51	16 900	6.09	21 500	6.60	26 800	7.02	33 000	7.33
MTZ144	35	10 500	4.53	13 800	5.01	17 900	5.46	22 700	5.87	28 400	6.22	34 900	6.49	42 600	6.67	51 300	6.75
	45	8 630	4.85	11 700	5.40	15 300	5.94	19 700	6.46	24 800	6.93	30 800	7.34	37 800	7.67	45 700	7.92
	55	6 970	5.07	9 610	5.71	12 800	6.36	16 600	7.00	21 100	7.61	26 500	8.18	32 600	8.70	39 800	9.13
MTZ160	35	11 500	4.90	15 200	5.44	19 700	5.98	25 000	6.49	31 300	6.98	38 700	7.42	47 200	7.80	57 000	8.12
	45	9 610	5.23	12 900	5.84	16 900	6.45	21 700	7.06	27 300	7.65	34 000	8.21	41 700	8.72	50 600	9.18
	55	7 920	5.48	10 700	6.17	14 100	6.88	18 200	7.59	23 100	8.31	28 900	9.00	35 700	9.67	43 600	10.30
MTZ200	35	12 700	6.11	17 300	6.77	23 000	7.35	29 800	7.82	37 900	8.16	47 500	8.32	58 600	8.29	71 400	8.02
	45	10 200	6.50	14 300	7.29	19 300	8.04	25 400	8.70	32 700	9.26	41 300	9.68	51 400	9.92	63 100	9.96
	55	8 300	6.67	11 800	7.64	16 000	8.58	21 300	9.48	27 600	10.30	35 100	11.01	44 000	11.57	54 300	11.97
MTZ250	35	16 300	6.99	22 000	7.91	28 900	8.73	37 100	9.42	46 800	9.94	58 200	10.24	71 300	10.29	86 400	10.05
	45	12 900	7.25	18 000	8.35	24 200	9.39	31 600	10.33	40 400	11.14	50 700	11.77	62 700	12.19	76 500	12.35
	55	9 880	7.16	14 300	8.48	19 700	9.78	26 200	11.03	33 900	12.18	43 000	13.20	53 700	14.03	66 000	14.66
MTZ288	35	20 900	9.06	27 700	10.02	35 800	10.92	45 400	11.73	56 700	12.43	69 900	12.98	85 100	13.34	102 500	13.50
	45	17 300	9.71	23 400	10.81	30 700	11.89	39 400	12.91	49 700	13.85	61 700	14.67	75 600	15.35	91 500	15.84
	55	13 900	10.14	19 200	11.43	25 600	12.73	33 200	14.00	42 300	15.23	52 900	16.37	65 300	17.39	79 500	18.27
MTZ320	35	23 100	9.79	30 400	10.88	39 300	11.95	50 000	12.99	62 600	13.96	77 300	14.84	94 400	15.60	114 000	16.23
	45	19 200	10.46	25 800	11.67	33 800	12.90	43 300	14.11	54 600	15.29	67 900	16.41	83 400	17.44	101 200	18.37
	55	15 800	10.96	21 400	12.34	28 200	13.76	36 500	15.19	46 300	16.62	57 900	18.01	71 500	19.35	87 200	20.60

Legend:

To: Evaporating temperature in °C
Tc: Condensing temperature in °C

Qo: Cooling capacity in W
Pe: Power input in kW

Superheat = 11.1 K
Subcooling = 8.3 K

Voltage: 400 V / 3 / 50 Hz

The Danfoss product range for the refrigeration and air conditioning industry:

Compressors for refrigeration and air conditioning

These products include hermetic reciprocating compressors, scroll compressors and fan-cooled condensing units. Typical applications are air conditioning units, water chillers and commercial refrigeration systems.



Compressors and Condensing Units

This part of the range includes hermetic compressors and fan-cooled condensing units for household refrigerators and freezers, and for commercial units such as bottle coolers and drinks dispensers. We also offer compressors for heat pumps, and 12 and 24 V compressors for refrigerators and freezers in commercial vehicles and boats.



Appliance Controls

Danfoss offers a range of customer-specific electromechanical thermostats for refrigerators and freezers, electronic temperature controls with or without display, and service thermostats for use when servicing refrigeration and freezing appliances.



Refrigeration and air conditioning controls

Our full product range covers all control, safety, system protection and monitoring requirements in mechanically and electronically controlled refrigeration and air conditioning systems. The products are used in countless applications within the commercial and industrial refrigeration and air conditioning sectors.



Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without consequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



Danfoss Maneurop Commercial Compressors

BP 331 F-01603 Trévoux France
Tél. 04 74 00 28 29 - + 33 4 74 00 28 29
Fax 04 74 00 52 44 - + 33 4 74 00 52 44
www.danfoss-maneurop.com